NOTES ON THE BIRDS WHICH I HAVE SEEN.

VOL. I -

Rodolphe Meyer de Schaueusee



Tinamus guttatus.

4/19/26. A pair got up and flew off with great speed at Utinga.

5/6/26 . A pair got up at my feet and flew off. This Tinamou's song is one of the most remakeable I have ever heard. It is ve ry mellow and sung softly but with wonderful carrying power. It is particularly impressive when heard faintly in the twilig in the frest. The fi rst note droops grad ually to a half tone lower. Then there is a pause. Thefirst not e is then taken up again and the speed gradually increased as it ascends the sca le. Then there is another pause, shorter than the first, and t then the first two no tes are repeated.

White-throated Tinamou.




(Tinamous guttatus)

This is the song: -



Their is a certain quality which makes one stop and listen. The pauses are very effective and the song has a melancoly quality which exactly fits the gloomy twilight forest. One feels that their is something uncanny about it.




## TINAMIFORMES

Crypturus soui. #

Heard frequently in the capoeiras about Para in

April, May 1926.
This Tinamou has the same arresting quality of song as the preceding species but it is not nearly so impressive.



It slurs down to the second note very gradually.
This and the preceeding Tinamou appear to confine their vocal efforts to the periods of just before sunrise and sunset.

Pileated Tinamou.

Brazil



Mitua mitu.


3/7//26. Saw a flock of about sixteen on the Rio Muraiteua. Some were on the ground and others in the trees up to about twenty feet.

4/9/26. Heard what appeared to be a large flock at Castanhal. The noise came from above but

the birds could not be seen. The note of alarm or surprise of this bird is a totally unexpected sound. It is a very high soft sibillant whistle. impossible to put into music but going like this.



Brazil. Razor-billed Curassow.



Ortalis arancuan. V

3/6/26. Saw one of these

birds fly across a small clearing and light in a tree about thirty feet from the ground.

4/7/26. Heard he in a capoei ra at castanhal but could not see it.

Brazil Spix's Guan.



Odontophorus sp? (guianensis

In May '26 heard a curious garbled clucking which the natives with us said was from an Uru.

Guiana Partridge.



## Colinus virginianus.

Shot a good many in Feb. in Morth Carolina. Heard them frequently in New Jersey and lenna.



Bonasa umbellus.


Saw and heard those birds frequently throughout the year at Hoosick III.



Phasianidae.

Phasianus torquatus,

Seen fairly frequently at Hoosick NY. and in Penna. An introduced species.



Phasianus colchius.

0/1/27. A female ran across the road near Memmingen,
Bavaria.



## COLUMBIFORES

Columba speciosa.


3/5/26. Saw two pigeons of this species sitting together of the top of a tall tree on the upper Inhangapy.

3/7/26. I shot an immadure

specimen on the Muraiteua. it appeared to be in a small flock.

They were eating some kind of red berries.

Drazil Splendid Digeon.



Columba palumbus.

Quite common about Paris all the time I was there. December to June 1925 8/1/27. Frauenfeldt, Switzerland. 2000 ft.




Zenaidura macroura carolinesis

Common about Philadelphia in spring and summer. Saw a flock in February at Rutherfordton I.C.

M.C. 6/26/27. Fairly common at Litchfield, S.C.

Mourning Dove. USA.



## Zenaida auriculata.

6/2/24. Saw a flock of these near Monte Alegre on the Amazon North Bank.


From the numbers of livespecimens brought over from the island of Marajo, they must be by far the commonest Dove there

Violet-eared Dove. Brazil



Strentoptila tuttur.

6/23/27. Several sitting in a t tree between Belfort and Vesoul, France.



Columbigallina passerina.

We saw quite e few on Barbados They are undoubtedly impoted to the island. We collected no: ne and I am not sure which subspecies it was.


Barbados. B.I. Ground Dove.



Columbigallina pas. griseola.

Very common in the open capoeira about Para.

Grayish Ground Dove. Brazil



Columbigallina talpacoti.

6/1/24. Saw a flock of tlese at Santarem. They were on the ground.

Talpacoti Ground Dove.
Brazil



# Leptoptila rufamilla.

1926. Quite common about Fara. Found nest with two eggs built in thorn palm about ten feet from ground. Hest of sticks. Eggs white. Furo do Haguary 5/1/26.

Gray-fronted Dove. Drazil




## Geotrygon montana.

Very common in the forest about Para. Found one nest on top of stump. Eggs buff. Utinga 4/9/2000 flew aboard the steamer in the Rio Para. 2/10/26
Other nests found were built in bushes from two to five feet from the ground. The nests are made of leaves instead of twigs and sticks as with other pigeon Two seems to be the average set of eggs.

Red Quail-Dove.

Brazil



### OPISTHOCOMIFORMES.

Opisthocomus hoazin.

Common along the Amazon from Para to Manaos. In life the eye is red and the bare skin about it blue. We found several nests b They are placed almost always over water and made of sticks unlined. The ones we saw were from six to bhirty feet up. The eggs are buffish white with lavendar stains and dark brown spots. They sow much variation both in share and colouring. The eggs resemble Rail eggs. They seem to be partly nocturnal for we often heard them making their grunting and croaking noises at night.

£

### Ralliformes.

Aramides cayanea.

Common about Para. Once at five thirty in the morning there were a lot running about and making a braying sound somewhat like a donkey in the tall rass opposite the RR Station. I had gone down to catch the Braganca Train.



Creciscus sp?

Mear Murutucu we heard a small rail in some bushes hux probably of this genus, but could not identify it. 4/26

(

Podiceps fluvialitis.

8/1/27. With Coots and Waterhen in pond near Memmingen Bavaria. 2000 ft. Heliornis fulica.

We saw one of these at about five thirty in the evening fly-ing very close to the water and near the bank of the rio Inhanga py. 3/4/26.



Gallinula chlorops.

8/1/27. In a marshy pond with Goots near Memmingen
Bavaria 2000 ft.

8/5/27. In stagment bond near Bad-Tolz, Bavaria.

Fulica atra.

Common on lake Lucerne. Lake Zurich. 1/2/24



Podiceps cristatus

Numerous on lake Zurich
1/2/24

Great Crested Grebe.



Gavia immer.

Newfound Lake 11.11. JUne to Lugust. Calling frequently at might.

Oceanodroma leucorrhoa. 7/21/20. Jamestown, RI.

Leach's Petrel.



Oceanites oceanicus.

Seen off Horfolk Va. '26 Off Jamestown 20-21 North Atlantic from Str.

South Atlantic. Lat J.40 \$. Long 40'2. 4/17/26.


1



Puffinus gravis.

Off New York harbour 7/25/26

Greater Shearwater.



Steganopodes.

Phaeton Americanus.

Morth Atlantic Lat 22' N Long 62 W. One Pair Morning. 4/11/24

Lat. 6N Long. 56'W. Heard calling above ship. 7 to 10 at anit.

#### Lariformes

Phaethusa magnirostris.

Saw this term on the Amazon from Para to Manaos. Lear Monte Alegne sitting on floating logs in company with a flock of Sterna antillarum 6/1/24

Common about the water front of Para 1926

Two seen flying about at the juncture of the Rios Guama & Capin. 3/11/26

h




· Sterna hirundo

Seen from Maine to New Jersey.



Sterna antillarum.

Seen along the Amazon but less common than P.magnirostri 6/1/24



Anous stolidus.

One flew aboard steamer off island of Desiderade. 6/26. It seemed in a weakened and dazed condition and was easily caught.

•

Larus marinus.


ne at end of Cape Cod 7/26/25



Larus fuscus affinis.

7/22/27. English Channel. They did not follow the ship into Portsmouth or Havre as did the other Gulls.

Lesser Black-backed Gull.



Larus argentatus.

Scen very commonly both here and abroad.



Larus a. cachinnans.

Cobo Sao Vincente, Potrugal Gibraltar, 6/20/22

. -d ů.

Larus ridibundus.


Lake Lucerne in summer. Lake of Zurich, numerous 1/2/24



Larus atricilla.


Common on Jesey coast.

Followed steamer to Lat24' N
Long 64' W. 1/31/26.



Stercorarius parasiticus

Two were seen the day after we left Norfolk. Lat. 36' Norfolk. Lat. 36' Norfolk. 74' Norfolk. 24/24




Cepphus grille.

One swimming near Baker's Isl. Me. It dove when we approached 7/26/26



Arenaria interpres morinella

Rewport, RI. 8/31/25 One was brought in alive to us in Para, Brazil 4/25/26.



Haematopus palliatus.

One bought alive in Para, Br. 5/3/24.

do. do. do. do. 5/29/26.



## Aegialitis semipalmata.

Frequently seen on the beach at Atlantic City, NJ. 3/3/26. Rio Guama, Brazil 4/25/26. Rio Para Brazil.

Catoptrophorus semipalmatus.

6/26/27. Saw a pair on the salt marsh at Lich-field, S.C.

When I approached they flew off, and then flew back and lit within twenty feet of me.

## Helodromas solitarius.

5/14/16. Pond in woods near Hoosick TY.
5/26/17. do do.
5/22/18. do do.
5/22/20. do do.
4/19/26, Rio Para, Brazil.



Actitis macularia.

5/19/18. Hoosick river. IIY. 2/25/26. Rio Para. Brazil 4/20/26. Specimens shot on rio Para had a great deal of A fat.




Philohela minor.

6/27/27. One got up and flew into the woods near Georgetown, S.C.



Oxyechus vociforus.

6/10/17. Moosick, MV. 0/2/19. Zhitemarch, Mo.




Jacana sui nome.

Common along the Amezon to Hampon. 1924 June. One in impature plumage at Toute Alogre 6/1/24. Common in postured on the Rio Guera, Arazil.



Ciconia ciconia.


7/28/27. One standing on nest on chimney top near Strasbourg, Alsace.



Phimosus infuscatus.


5/31/24. I saw two of these
Ibis fly across the
Parana just beyond
Lacapa, Brazil.

5/7/26. One flew over the
Launch on the Inhanga
Py.




Guara alba.

6/27/27. Swa two in immature plumage in company with Egrets and Herrons on the salt marshes at Lichfield S.C. The were easily identifiable by their curved beaks.



Ardea cochi.

Common along the Amazon from Breves Narrows to Manaos, June 1924. Two young brought in May 1926. Two unfledged young brought in in May.



Ardea herodias.

Common about Hoosick NY.

Hewfound Lake NH.

6/27/27. Common at Litchfield
S.C.



Herodias egretta.

Common in the grassy fiels from the Rio Paru to Manaos. June 1924.

9/25/25. Princeton, NJ. One

example.
6/26/27. Quite plentiful on the salt marshes and the Waccamaw R. S.c.

si . . Egretta candidissima.

Less common than the preeceeding in the same territory.

6726/27. Less common than the preceeding in the same territoty.

ε --

Hyranassa tricolor ruficollis.

6/26/27. Common at Lichfield, S
S.C. Saw them on the
salt marshes and the
Waccamaw R. The were
not at all wild and
allowed a fairly close
approach.

Florida caerulea.


6/1/24. One at Monte Alegre.
Sate of Para.
6/26/27. Saw one on the
Waccamer R S.C.

Pilerodius pileatus.

5/31/24. Hear Almerim 6/2/24. Hear Obidos. The blue face stands out very strongly.

Butorides virescens.

Hoosick MY. Spring.




Butorides striata.
3/3/26. Para, Brazil.



Nycticorax n.naevius.

Very common in the Zoo at Phila. where they eat the foo of the contive herons.



Zebrilus pumilus.

5/51/24. One flew out of some reeds near Monte Ale gre.

i, • Palamedea cornuta.

5/31/24. Near Almerim. The bird was on the top of a tall tree. I saw a lot more and the were always stal king about the swampy meadow, generally in pairs, eating grass. In a field near Parin tins, State of Amazo nas there were severa pairs scattered about The only noise I have ever heard them make in captivity is grunting noise.


Mengrs amoricanus.

4/4/15 Independent of the control of




Hergus serrator.

4/6/20. Hudson River.




Hyroca fulies.



Anas boschas

Wallenzee Switzerland.12/31/24

Hoosick NY. 2/15 &udson River. 3/12/17



Anas rubripes.

4/10/17. Huson River. Flock of about fifty.



Aix sponsa.

9/29/25. Brook at Princeton NJ.

Very shy and hard to

approach. The brook the

were in was well wooded

and wild.

J

Mareca penelope.

11/17/25. Of lake with tame ducks in Bronx Z66, NY.




Marila americana.

11/17/25. On loke with tame ducks at Bronx. HY.



Marila a finis.

11/17/25. On lake with tame ducks at Bronx, HY.



Cairina moschata.


6/2/24. Isaw a flock of about twenty flying in single file about twenty feet above the Amazon. They lit in a tree. This was near Obidos.

. . 4 •

Dendrocygna viduata.

In February 1926. these ducks flew over Para every night at about eight. The could be told by their note which resembles Visissee. They stopped going over in March.


White-faced Tree Duck.



Dendrocygna discolor.

6/2/24. A small flock near Obidos.

Gray-breasted Tree Duck.



Branta canadensis.


2/20/15. Flying south over Hoosick, NY.

11/17/25. In pond with tame Canada Geese in Bronx, MY.



Olor columbianus.

12/1/24. Chesapeek Bay Md.



Phalacrocorax auritus.
7/23/26. Bar Harbor Me.



Phalacrocorax vigua.

6/3/24. Santa Julia, border of Para & Amazonas.



Anhinga anhinga.
River Amazon. 6/3/24



## Catharista urubu.


Abundant about the streets of Para and Manaos.
They are among the first bird to be about in the morning.
Before it is light they are already flying about.
Before a heavy rain they rise to a great hight, some of the meven disappearing from view

6/26/27. Lichfield, S.C.

'a e<sup>i</sup> o o o J

Cathartes aura septentrionalis.

Seen frequently in Pa. Md. Del. Hever yet seen on groundd.



Cathartes urubutinga.

- 6/3/24. Hear Faro, on the Amazon.
- pershed about fifteen feet from the ground, in thick woods. It was raining heavily. Rio Inhangapy. (meaning)

- <u>l</u>p - u £

Polyborus tharus.

6/4/24. One perched intree at Boa Vista do Arary, Amazonas.

Ibycter mericanus.

5/30/24. Breves Narrows, River Amazon.



Milvago chimachima.

6/1/24. Monte Alagre, Rio
Amazonas. Seated on
a dead branch a few
feet above the water
From a distance this
bird looks like a Bald
Eagle, tho it is small
ler.



## Circus hudsonius.

5/15/15. Grafton, NY.
4/30/16. Hoosicik, NY.
5/26/17. do. do.
3/20/18. do. do.
3/10/24. Rutherfodton N.C.



Accipiter velox.

3/1/24. With Bob white in claws high up in tree.

Shan shimned Hawk.




Heterospizias meridionalis.

6/4/24. Boa Vista do Arary, Rio Amazonas.




Buteo borealis.

7/6/17. Pine Valley, NJ.



Buteo lineatus.

4/1/17. Near Hoosick River, HY.



Rupornis magnirostris.

3/7/26. Rio Inhangapy.



Busarellus nigricollis.

I saw quite a few of these beautiful Hawks on the way to Manaos. They were always near the swampy fields and not where the river was bordered with trees.

June 1924.

ů • Leucopternis albicollis.

4/25/26. One in the forest at Utinga. Brazil.


.

## Thrasaetus harpyia.

4/25/26. Castanhal, Brazil. Found the nest of the Harpy Eagle and took what is perhaps the first set of eegs taken. Mest in an enourmous tree, in crotch formed by first branch 111 feet above the ground. Eggs white, very much stained. West of sticks, unlined. Sloath hair and bones in nest. Sloaths are probably the main food of this eagle for a captive specimen which I had in 1924 dashed its self against the bars of the cage when I brought a young sloath near it. Monkeys it took no interest in. The above nest contained one egg 4/25 and another 5/9. It probably is a set of two.

Aquila chrysaetus.


Saw one flyong about summit of Stanzerhorn Lucerne 1912



Haliaetus leucocephalus.

4/30/16, Bointonville MY. over reservoir.

4/8/18. Hoosick, NY.



Herpetotheres cachinnans.

5/31,24. Opposite the mouth of the Rio Xingu.
3/6/26. Woken up by one at five thirty a...
emitting loud cries resembling a wild shricking laugh.
4/20/26. Three flew over tog gether making a terrible row.

3 •

## Elanoides

5/30/24. About ten of these k
Kites were flying abo
ut a tall dead tree
looking as if they
were catching some
kind of insect. A few
were perched on the
branches.

¥ e á


## Rosthramus hamatus.

- 6/2/24. Flying low over a swampy field at Obi-dos, in company with two Black-collare d Hawks. Rosthramus was more numerous.
- 4/12/26. One flying over a swampy thicket at the edge of the forest at Utinga, Para

•  Gampsonyx swainsoni.

5/31/24. Sitting on top of a tall tree near Macapa


Swainson's Pearl Rite



Falco columbarius aesolon.

8/13/27. Piz Schaffberg. 8900 ft. Swift and powerful flight.

8/14/27. On telegraph wire at Pontresina. Swit. 6000 ft.




Fulco peregrinus anatum.
3/15/25. Philadelphia, Pa.

Jack Lawk.



Falco sparverius.

4/16/15. Phila. 28.
5/0/16. Hoosick, NY.
4/30/17. Valley Forge, Pa.
4/2/10. Johnsonnville, NY.
4/26/19. Hoosick, NY.
7/6/22. Jamestown, RI.



Talco tinnunculus.

..ings beating but no formard motion over Golf course at Chantilly 3/24



Falco rufigularis.

One of the most frequently seen Hawks along the Amazon. In 1924 f rom April to July I saw it at Para, The Breves narrows, Santarem & Obidos. In 1926 did not see any. One however was collected by our party, at Para. Teet bright orange. Ceres olive yellow.

## Pandion Haliaetus

3/12/26. One flying over the Rio Guama, near the juncture with the Rio Para.


.. % . ❖ • 3

## Pandion haliaetus carolinensis

5/19/16, Hoosick, MY.
5/0/17. do. do.
5/2/20. do. do.
5/20/21. Chesapeek, Canal. MD.
9/29/25. Princeton, MJ.



Aluco pratincola. 9/15/25. Tenn Lynn, Pa.



Bubo virginianus.

6/25/26. Saw one at the edge of a Cypress swamp near Marion, S.C.

Otus asio.

6/28/18. Young birds at Wynnewood. 11/3/26. Wynnewood.



Ara ararauna.

5/31/24. Saw one perched on the top of a dead tree which stuck up above the rest of the forest just above Gurupa. The sun was shining on the bird and the gloss of the feathers made it look white.

6/3/24. A pair near Parintins.

ira magao.

5/51/24. A band of about eight kept flying from tree to tree just in Grout of the boat. The cries the let out sounded alnost musical in the silence of the rive: This was mear Al-. merim.

6/5/24. A bend of sim, flying two by two, flew across to the mainland from an island near Raminti 115.



Ara severa.

5/30/24. Saw a flock flying to a roosting tree, Breves Narrow.

Ara maranana.

5/30/24. A small company
perched in a tree in
the Breves Marrows
of the Amazon.
Saw them as for up
Larinting.

Aratinga leucopthalmus.

5/30/24. Saw what seemed to be about two hundred of these birds in a tree which probably was their roost. It was about five thirt Breves Narrows. They were making a deafening row.

J.

Aratinga aura.

5/30/24. A small company on the Breves Harrows. The yellow spot on the forchead was quit conspicuous. i i

Psittacula modesta.

6/2/24. Pto. Espirito Santo
Mear Ohidos.
They were nesting in
a colony. Holes in a
very highttree at the
edge of a small clearing with the forest
behind it. They were
about 70 feet up.

. Li ن . Brotogeris virescens.

The Parrakeet seen most frequently in NE. Brazil.

In 1924 I saw them from the Brves Marrows to Manaos. In 1926. Para, Rio Guama, Rio Inhangapy. I always saw them in flocks from 50 to 8. They are very noisy. Shey are very easy to identify for the yellow spot in the wing looks like a hole in the primaries when flying. I have seen them right in the town of Para.

Brotogeris tuipara.

6/2/24. A fairly large flock at Obidos.

4/20/26. Para.

5/12/26. Shot one at Ourem.

Jim saw a flock of what he estimated to be 1000 birds in Utinga. They are very noisy but are impossible to see they blend in so w

I saw what was probably a flock of 400 light in atree in Utinga but when I went to get a shot at one I could not see any, but could hear them chattering above me.

with the leaves

V . · · â . Brotogeris sanctitomae.

6/2/24. A flock of about 25 in some scrub by the river a few miles east of Obidos.

.

Amazona farinosa.

ch near the nest of t the Harpy in the woods beck of Castanhal They seemed very abundant here.



Amazona amazonica.

3/8/26. Two seen on the Rio Muraiteua.



## Amazona festiva.

6/1/24. Santarem.

6/2/24. Obidos.

6/3/24. Mouth of the Rio Log Negro.

These parrots are cal led by the natives Papa Cacau or Cocoa Dater. As soon as you pass Obidos cocos plantations are quite numerous so this name seems to apply. On the lower river I did not see one. They are the easiest of th Amazonas to identify for the cherry red back distinguishes them from any other Parrot.

Pionus menstruus.

4/25/26. Very abundant and very noisy at Castan-hal.

-9 B -

Pionus fuscus.

5/30/24. Saw one seated on a branch just below an Ariel Toucan. Breves Narrows of the Amazor.

• •

## Gypopsitta vulturina.


4/25/26. Castanhal. 4/26/26. Castanhal.

This parmot is said to be very rare, but about Para this can hardly be said as we got more skins of thi parrot than any other They are very silent when feeding, contrary to other parrots which perhaps causes them to be overlooked Thier cry cosists of two notes, and is easily distinguishable from other Parrots. They go about in small companies raremore than six or eig ht. A young one with the head cover with short green feathers yellow at the base wa secured in May on the Rio Gurupy. The skin of the head of the ol birds is orange and black. The beak yellow an Black. Feet dull olive yellow. Vulturine Parrot.


Pionites leucogaster.

3/9/26. Rio Muraiteua. One shot from a noisy band of about twenty.
4/15/26 A flock of about ten flew over us at Uting

Chordeiles acutipennis,?
5/29/24. Flying over Para.



Chordciles virginians.



Antrostomus vociferus.

7/15. Newfound lake, IH. 0/1/23. Pine Valley, IJ.

,

Micropus melba.

8/11/27. Flying about the crags at the top of the Julier Pass, Switerland. 7400 ft.



Chaetura pelagica.

First orrived in Spring at Hoosick, NY.

5/4/15 5/1/16 4/23/17 5/5/18 5/2/19



Chaetura brachyura.

This is almost without a doubt the species which commonly flies over Para, but I have never secured a specimen for Identification. .

Cypselus anus.

laris 6/8/24



panyptila cayennensis. 3/6/26. Rio Inhangapy.



## Archilochus colubris

6/9/15. Hoosick, MY 6/21/18 · do do 9/2/26. Bar Harbor Me. Wynnewood in summer.



Phaethornis s. mulleri.

1924, 1926. Seen frequently in the capoeira and thick second growth at Para. The upper mandible is horn brown and the lower red at the base, fading in to yellow.



Phaethornis ruber.

3/1/26. One shot in capoeira near Para.

Red-vented Hermit.

à Campylopterus obscurus. 3/6/26. Rio Inhangapy. Florisuga mellivora .

One of the commoner Hummers about Para. Appeared to get plentiful towards the end of the rainy season. 1926.

## Chlorestes notatus.

Very common in the quintals or yards in Para. We saw none till Aprill and then they became common. Perhaps they arrive when certain flowers are in bloom. Thruout Teb & Tarch we did not see a sign of one. Upper mandible black lower mandible flesh color with black tip.

Thalurania furcata furcatoides.

Another common hummer of Para. Saw specimens also at Castanhal and Rio Inhangapy. According to their English name one would expect that they are exclusively a forest Hummer but

all I ever saw were in the open

Amazonian Wood-Nymph.

**b)** 

Urogalba des amazonum

5/3/26. A pair at the top of a dead tree. I collected one.

Amazonian Paradise Jacamar,

ے۔ ان

Ceryle torquata.

526/24. Very common along
the Amazon from
Gurupa to Manaos.
At obidos saw a
colony of nests.
There must have been
75. They were in a
very high red
bluff.

Coryle amazon ..

6/2/24. Obidos, Brazil.

J

Ceryle americana.


6/15/24. Rio Taruma-mirim, Affluent of Rio Negro 3/7/26. Rio Inhangapy.

Little Green Kingfisher.

• 

## Ceryle alcyon.

4/21/15. Hudson, River, NY. 3/13/16. Hoosick River, NY. 5/27/22. Chesapeck Canal Hd. 9/27/25. Princeton, HJ. 2/19/17. Hoosick, TY.



Ceryle inda.

6/2/24. Obidos. State of Para. 6/3/24. Rio Ramos, Parintins State of Amazonas.

Cerule aenea.

3/25/26. Jim shot one in the Utinga forest. It lit on a dead twig above a rain puddle. It looks as if this was the haunt of this little Kingfisher, getting its food the re rather then the rivers. There we lot of small minnows and a golden coloured tadpoles in the water Also a small eel. We later secured an other also in the fo rest. A female shot later was much lighter bel ow, the throat being almost white. The be

ak also was shorter.

\*

. نه

3

ul .

J.

Trogon violaceus romanianus.

2/24/26. One shot while feeding at the top of a tall tree in company with other birds.



Trogon viridis.

٠. u

Trogon melanurus.

3/6/26. Rio Inhangapy.
3/6/26. Rio Mutaiteua.
All the Trogons we sw
seemed very sluggish
and uninteligent.




Momotus momota paraensis.

3/9/26. One in a patch of forest had been partly cleared of the under brush. Their note is a low but carryind Hudu. Sometimes they repeat the second syllable Hudu-du-du-du-du-du but then they go down the scale.

÷ 3 .

Rhamphastos monilis.

5/30/24. A flock of about 10
in the Breves Harrows
5/8/26. Hurutucu, Para, Brazi:
The cry of these tou
cans when calling to
gether resembles a
pack of hounds.
Then one alone is cal
ling the notes are
like this:



The first two notes are always the same but the following ones vary from one to ahy number till the bird apparently gets tired.

\*

Rhamphastos ariel.

5/30/24. Saw one sitting on a branch a few feet above a Dusky Parrot.

2/18/26. A flock at Murutucu.
They make a low rolling grammer sound.
very much like R. toco
I have never heard R.
monilis make this spu
nd.

A 2

Rhamphastos vitellinus.

5/31/14. Sam a pair on the North bank near Almerim.

Sulphur& White-breasted Toucan

ş • ۰

Pteroglossus aracari.

5/30/24. A flock of 12 in

the brees marrows.

Innature finite

beak brownish home

and thite. Backed the

narrow white band

between base and head



Pteroglossus inscriptus.

3/7/26. Saw a flock of about twenty back of the Rio Inhangapy. When shot at instead of flying away they sit and look at you. Skin about eye blue Red triangular patch behind the eye. Legs pale slate blue. Beak dirty yellow & black. Immature male had beak same as adul but was a horn black and lacked "lettering over the teeth. 4/14/26 Immature female shot

beak much shorter oth

erwise same as imm. m

Lettered Aracari.

## Selenidera gouldi.

6/28/24. Saw one alone on an Assahy Palm near Para.

4/10/26. A flock of about 12 at Utinga, Para.

5/7/26 . A flock of about

19 at the same place
Shin about eye olive green, feet and
legs olive-blue.
Upper mandible firs
love green rest
black. Teeth white.
Lower mandible firs
love next love inch
black band, rest
white.

• Bucco macrorhynchus hyperrhynchus chus

3/24/26. We all had a go at one. Five shots and he never mooved. We finally got him. All the Puff birds are very sluggish and unwary.

Bonaparte's Puff-bird.



Bucco tectus.

3/27/26. One shot at Utinga.
The stomach contained
but one species of he
hard shelled beetle.



Monasa nigra.

6/1/24. Saw several near the mouth of the Rio Jary. North bank.

Black Puff-bird.



Honasa morphoeus,

3/8/26. Saw two near the moutiof the Muraiteua.

White-bearded Puff-bird.



Monasa nigrifons.

3/11/26. Shot two neat the mouth of the Rio Capim. Their note consists of a monotone whistle, starting slowly and then gaining speed, faste and faster till it merges into one and stops. It is quite loud.

Their "song might be written thus:-


59 ø B, Ü

Chelidoptera tenebrosa.

3/1/26. Shot two out of a company of six flying about the top of atree at least 120 feet up. Their actions are so swallow like that we mistook them for them. Beak black, feet lead.

\*\*\*  Cuculus conorus

Monte Generoso, Italy. U/11.



## Coccyzus americanus.

7/11/15. Wynnewood. Pa. 6/19/18. Hoosick, NY. 7/30/22. Villa Tova, Pa.

i.

Coccyzus erythropthalmus.

\$/2/17. York Harbor, Me.



Piaya cayana.

3/7/26. Rio Guama. I shot the bird. It was building a nest of small sticks near the top of a tree about 60 feet up.

Bare skin about eye red.

Bill yellow turning gradually to olive at the tip. We generally saw this birds of this genus in the forest.

Û

Piaya rutilans.

7/28/24. Found a nest with young. Nest of stiecks about 15 ft up. 3/6/26. Saw one on the Rio

3/6/26 . Saw one on the Rio Apehu.

Bare skin about the eye red.

ų , 3 Tapera naevia.

3/7/26. Saw one in a scrubby clearing at Rio Inha-

5/9/26. Sapy.

Full fledged young at Castanhal.

The markings are exactly like the old bird but the whole plumage darker.

This Cuckoo appears to prefer clearings and secon growth to the forest.

D

Crotophaga maior.

5/31/24. Near bank of the Amazon opposite the Rio Xingu.

3/7/26 . One shot on the Inhangapi. They always seem to be near swampy meadows.

5/15/26. Full fledged young at Para.

.

Crotophaga ani.

Seen in 1924 & 1926 in the open places by the rivers.
Much commoner than the preceding.

licus vinidis.

Common on the ground at Chantilly. 1/27/24 to 5/24




## Colaptes auratus luteus.

4/11/15. Wynnewood. 4/1/16. do. 4/22/17. do. 4/29/18. Hoosick, MY. 4/26/20. Hoosick, MY.

3 ¥ Dryobates major pinetorum.

8/12/27. Pontresina, Switzerl 8/14/27, St. Moritz, "In mine woods at a little over 6000 f

Great Spotted Woodpecker.




Dryobates villosus.

2/18/18. Hoosick, IIY. 2/19/20. do. do.



## Dryobates pubescens medians.

4/4/15. Hoosick, HY.
1/23/16. do. do.
2/10/17. do. do.
1/27/10. do. do.
1/27/20. Resident, Hoosick.
5/25/22. Jynnewood, Pa.




Sphirapicus varius.

5/6/15. Hoosick, NY. 4/3/17. Do. do. Above are dates of first appearence at Hoosick.



Melanerpes formicivorus,

6/1/15. Hoosick, HY.
5/26/20. do. do.
6/26/27. Common at Litchfield
S.C.



Melanerpes rubrifrons.
5/18/26. Two at Utinga, Para

Red-fronted Woodpecker.



Veniliornis ruficeps.

3/8/26. One at the Muraiteua.

Spix's Woodpecker.



Celeus iumana.

4/9/26. Two at Utinga.

Spix's Amazonian Woodpecker.



Crocomorphus flavus.

4/23/24. In a bushy palm we found about six adults sleping togethe:

Chestnut-winged Woodpecker.

Campophilus trachelopyrus.

3/7/26. Saw a pair at the Rio Inhangapy.

Malherbe's Black Woodpecker.



## Ceophloeus lineatus.

6/3/24. A pair in a tree with Busarellus nigricollis 3/9/26. One at the mouth of the Muraiteua.

Both times these birds were observed in a cleared patch. The forest was close-by however.




) Olivin composed to the constant,

Contilly, 4/\_4



## Sitta carolinensis.

8/6/16 . Hoosick, EY. 2/16/17, do, do, 1/15/18. do. do. 2/5/20 . do. do. 5/12/21. Wynnewood, To.



Sitta canadensis.

2/17/15. Hoosick, NY. 12/23/20 do. do.



Certhia familiaris americana.

4/1/15. Hoosick, NY. 2/18/17 Hoosick, NY.

Tichodroma muraria.

8/18/27. Two flying with butter fly-like flight about the face of a perpendicular cliff above the Morteratsch Glacie Mear Pontresina, Switzerland. 7500 feet.

